

QC

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>G01N 33/76, 33/74, 33/68</b>		<b>A3</b>	(11) International Publication Number: <b>WO 99/64860</b>
			(43) International Publication Date: 16 December 1999 (16.12.99)
(21) International Application Number: PCT/GB99/01828 (22) International Filing Date: 9 June 1999 (09.06.99) (30) Priority Data: 9812432.4 9 June 1998 (09.06.98) GB (71) Applicants (for all designated States except US): QUEEN MARY & WESTFIELD COLLEGE [GB/GB]; Mile End Road, London E1 4NS (GB). UNIVERSITY OF OXFORD [GB/GB]; Wellington Square, Oxford OX1 2JD (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): WALD, Nicholas, John [GB/GB]; Department of Environmental and Preventive Medicine, St Bartholomew's Hospital, Queen Mary & Westfield College, Charterhouse Square, London EC1M 6BQ (GB). REDMAN, Christopher [GB/GB]; Nuffield Department of Obstetrics and Gynaecology, University of Oxford, John Radcliffe Hospital, Headington, Oxford OX3 9DU (GB). (74) Agents: SHEARD, Andrew, Gregory et al.; Kilburn & Strode, 20 Red Lion Street, London WC1R 4PJ (GB).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published With international search report. (88) Date of publication of the international search report: 2 March 2000 (02.03.00)	
(54) Title: PREDICTIVE TEST FOR PRE-ECLAMPSIA			
(57) Abstract			
A method is provided which enables a prediction to be made about the risk of a pregnant woman developing pre-eclampsia which comprises an analysis of the serum levels of screening markers, Inhibin A and free $\beta$ -hCG. Apparatus for carrying out the determination of the risk of developing pre-eclampsia based on the analysis of the serum samples is also provided.			